





Crafted By Nature, Perfected
By Design. Marble The
Epitome Of Luxury.




Our creation has been categorized and sorted in cool trendy ways. It is easier to pick and decorate your own surroundings just the way you want. More options and better judgments about our various tiles will conquer your heart once and for all.



**Technically Superior Surfaces
For Effortless Living**



Available Size of Domingo Slabs



Get Advantage of Technical features with Domingo slabs



FLEXIBLE
STRENGTH



CHEMICAL
RESISTANCE



FLEXURAL
STRENGTH



WATERPROOF
SURFACE



RESISTANCE
TO FIRE



FROST
RESISTANCE



HYGIENIC
SURFACE



SCRATCH
RESISTANCE



ECO
FRIENDLY

Strength & Sophistication



Scratch Resistant



Stain Resistant



Fire Resistant



Lowest Maintenance Effort



Hygienic Surface



Resistant To Bending



Water Resistant




Impact Resistant




Frost Resistant



Approach Area



Residential



Industry



Hospital



Gymnasium



Airport



Hall & Corridor



Hotel & Restaurant



Mall & Super Market



School & College



Commercial Building



Shape your ideas with Domingo Slabs

Domingo Slab is a revolutionary new
Hi-tech Product that lets you customized to
any large-sized ceramics.



FLOORS,
WALLS & STAIRS



FLAT &
CURVED
WALL



DOORS &
SLIDING WALLS



SHELVES &
CONSOLE



TOPS &
KITCHEN

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B Ia	DOMINGO VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO - 10545 - 2	±0.6%	±0.2%
Deviation In Thickness	ISO - 10545 - 2	±5%	±3%
Straightness Of Sides	ISO - 10545 - 2	±0.5%	±0.2%
Rectangularity	ISO - 10545 - 2	±0.6%	±0.2%
Surface Flatness	ISO - 10545 - 2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO - 10545 - 3	<0.05%	<0.04%
Mohs Hardness	EN - 101	Min.5	Min.5
Flexural Strength	ISO - 10545 - 4	>35 N/mm ²	>40 N/mm ²
Skid Resistance (Friction Coefficient)	ISO - 10545 - 17	>0.4	>0.4
Breaking Strength	ISO - 10545 - 11	>1113 N	>1800 N
Frost Resistance	ISO - 10545 - 12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO - 10545 - 9	No Damage	No Damage
Moisture Expansion	ISO - 10545 - 10	NIL	NIL
Resistance To Surface Abrasion	ISO - 10545 - 7	Abrasion class shall be specified by the manufacturer	PEI IV & V
CHEMICAL PROPERTIES			
Chemical Resistance	ISO - 10545 - 13	No Damage	No Damage
Color Resistance	ISO - 10545 - 16	No Damage	No Damage
Stain Resistance	ISO - 10545 - 14	Resistant	Resistant

PACKING DETAILS

Dimension (MM)	Box			
	Pieces	Sq. Mtr.	Sq. Feet	Weight (Apx.)
1200X2800 (6 MM)	2	3.36	36.17	102 kgs.
1600x3200 (6 MM)	1	5.12	55.11	72 kgs.
1200X1800 (9 MM)	2	4.32	46.5	90 kgs.
1200X2400 (9 MM)	1	2.88	31	62 kgs.
1200x2800 (9 MM)	1	3.36	36.17	74 kgs.
1600x3200 (12 MM)	1	5.12	55.11	145 kgs.
800X2400 (15MM)	1	1.92	20.67	68 kgs.
800X3200 (15MM)	1	2.56	27.56	90 kgs.



FEATURES


Made with the finest quality raw material and advanced technology under the watchful supervision of experts, Vetican Collection goes to toughest quality challenges to ensure that your space preserves its beauty for the longest time.



ALONZO GREY



1600X3200MM | High Gloss / Matt




R-2

ARABESCATO CORCHIA



1600X3200MM | High Gloss / Matt



R-3

ARCTIC OCEAN




1600X3200MM | High Gloss / Matt




R-2

BAYONA MOKA NATURAL




1600X3200MM | High Gloss / Matt




R-2

AXIX BROWN




1600X3200MM | High Gloss/ Matt




R-2

AXIX GREY



1600X3200MM | High Gloss/ Matt




R-2

BIANCO DOLOMITE



1600X3200MM | High Gloss / Matt




R-3

BIANCO STATUARIO




1600X3200MM | High Gloss / Matt




R-2

BIANCO GOLDEN




1600X3200MM | High Gloss/ Matt




R-2

BULGARIAN GREY



1600X3200MM | High Gloss/ Matt




R-2

BLUE TAHOE



1600X3200MM | High Gloss / Matt




R-2

BLUE VOLAKAS




1600X3200MM | High Gloss / Matt



R-2


CALACATTA MERA VIGLIA



1600X3200MM | High Gloss / Matt

R-2

CALACATTA SIMOLA



1600X3200MM | High Gloss / Matt

R-2

CARDI ONYX



1600X3200MM | High Gloss/ Matt



R-2

ONYX EMPRESS



1600X3200MM | High Gloss/ Matt



R-2

CARRARA GOLDEN



1600X3200MM | High Gloss/ Matt

R-3

CLASSIC WHITE STONE




1600X3200MM | High Gloss/ Matt

R-2

CONCH GREY



1600X3200MM | High Gloss / Matt



R-2

CREMA MONTANA



1600X3200MM | High Gloss / Matt




R-2

EMIRATS BLACK



1600X3200MM | High Gloss/ Matt




R-2

EMIRATS GOLDEN




1600X3200MM | High Gloss/ Matt




R-2

GOLD WAVE



1600X3200MM | High Gloss/ Matt




R-2

LIMESTONE BIANCO



1600X3200MM | High Gloss/ Matt



R-2

JADE GREEN



1600X3200MM | High Gloss / Matt




R-2

JET BLACK



1600X3200MM | High Gloss / Matt




R-4

KERRY WHITE



1600X3200MM | High Gloss / Matt



R-2

LUCID GREY



1600X3200MM | High Gloss / Matt




R-2

LUXURY BLACK




1600X3200MM | High Gloss/ Matt




R-2

LUXURY GREY




1600X3200MM | High Gloss/ Matt




R-3

MARITACA STATUARIO



1600X3200MM | High Gloss/ Matt



R-2

MIDAS BROWN



1600X3200MM | High Gloss/ Matt




R-4

MARQUINA BLACK




1600X3200MM | High Gloss / Matt




R-2

LORENT GOLD



1600X3200MM | High Gloss / Matt




R-2

MIGUEL GREY



1600X3200MM | High Gloss / Matt




R-2

MODERN SLATE




1600X3200MM | High Gloss / Matt




R-3

MOCHA GREY



1600X3200MM | High Gloss/ Matt




R-2

MYSTIC VERDE



1600X3200MM | High Gloss/ Matt




R-3

MONT BLANC WHITE



1600X3200MM | High Gloss / Matt




R-4

OMBRE BLUE



1600X3200MM | High Gloss / Matt



R-4

NORAH GRIS



1600X3200MM | High Gloss/ Matt




R-2

PASSION WHITE



1600X3200MM | High Gloss/ Matt




R-2

ONYX ICE INNER



1600X3200MM | High Gloss/ Matt




R-2

ONYX POCHA



1600X3200MM | High Gloss/ Matt




R-2

OROBICO GRIGIO




1600X3200MM | High Gloss / Matt




R-2

RIVERLIGHT GREEN




1600X3200MM | High Gloss / Matt




R-2

PONTEVECCHIO MARBLE



1600X3200MM | High Gloss/ Matt




R-2

QUANTI KO GRIS



1600X3200MM | High Gloss/ Matt



R-2

ROCK BRONZE



1600X3200MM | High Gloss / Matt




R-2

ROME WHITE



1600X3200MM | High Gloss / Matt



R-2

SOAPSTONE MIST




1600X3200MM | High Gloss / Matt




R-3

STATUARIO PLATINA



1600X3200MM | High Gloss / Matt




R-4

STATUARIO JORDAN



1600X3200MM | High Gloss / Matt




R-2

STEIN BLACK



1600X3200MM | High Gloss / Matt



R-2

STATUARIO SPIDER



1600X3200MM | High Gloss / Matt



R-3

TURKEY DYNA



1600X3200MM | High Gloss / Matt



R-3

STREAM GREY




1600X3200MM | Granular/ Matt




R-4

STREAM SILVER



1600X3200MM | Granular/ Matt




R-4

STREAM TAUPE




1600X3200MM | High Gloss/ Matt




R-4

SYDNEY DARK



1600X3200MM | High Gloss/ Matt



R-4

VEINCUT GREY



1600X3200MM | High Gloss / Matt




R-2

VICTORIA WHITE



1600X3200MM | High Gloss / Matt




R-4

DEEP BLUE



1600X3200MM | High Gloss/ Matt




R-2

MARCELL GOLD




1600X3200MM | High Gloss / Matt




R-3

VILLEROY BEIGE




1600X3200MM | Granular/ Matt



R-2

VILLEROY GLACIER GRAY



1600X3200MM | Granular/ Matt




R-3

VILLEROY GREY



1600X3200MM | Granular/ Matt



R-3

VILLEROY NERO



1600X3200MM | Granular/ Matt



R-3

VILLEROY PURE




1600X3200MM | Granular/ Matt




R-3

WHITE CRISTALLO



1600X3200MM | Granular/ Matt




R-2

DORATO CEMENT



1600X3200MM | Granular/ Matt



R-2

DORATO SILVER



1600X3200MM | Granular/ Matt




R-2

SUPER WHITE



1600X3200MM | High Gloss / Matt

SUPER BLACK



1600X3200MM | High Gloss / Matt

VICTORIA WHITE-A

BOOKMATCH

VICTORIA WHITE-B



1600X3200MM | High Gloss / Matt

R-2

MARCELL GOLD-A

BOOKMATCH

MARCELL GOLD-B




1600X3200MM | High Gloss / Matt

R-2

ARCTIC OCEAN-A

BOOKMATCH

ARCTIC OCEAN-B



1600X3200MM | High Gloss / Matt

R-2

BLUE TAHOE-A

BOOKMATCH

BLUE TAHOE-B




1600X3200MM | High Gloss / Matt

R-2

BLUE LEGACY-A

BOOKMATCH

BLUE LEGACY-B



1600X3200MM | High Gloss / Matt

R-2

STATUARIO JORDAN-A

BOOKMATCH

STATUARIO JORDAN-B



1600X3200MM | High Gloss / Matt

R-2

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B Ia	DOMINGO VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO - 10545 - 2	±0.6%	±0.2%
Deviation In Thickness	ISO - 10545 - 2	±5%	±3%
Straightness Of Sides	ISO - 10545 - 2	±0.5%	±0.2%
Rectangularity	ISO - 10545 - 2	±0.6%	±0.2%
Surface Flatness	ISO - 10545 - 2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO - 10545 - 3	<0.05%	<0.04%
Mohs Hardness	EN - 101	Min.5	Min.5
Flexural Strength	ISO - 10545 - 4	>35 N/mm ²	>40 N/mm ²
Skid Resistance (Friction Coefficient)	ISO - 10545 - 17	>0.4	>0.4
Breaking Strength	ISO - 10545 - 11	>1113 N	>1800 N
Frost Resistance	ISO - 10545 - 12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO - 10545 - 9	No Damage	No Damage
Moisture Expansion	ISO - 10545 - 10	NIL	NIL
Resistance To Surface Abrasion	ISO - 10545 - 7	Abrasion class shall be specified by the manufacturer	PEI IV & V
CHEMICAL PROPERTIES			
Chemical Resistance	ISO - 10545 - 13	No Damage	No Damage
Color Resistance	ISO - 10545 - 16	No Damage	No Damage
Stain Resistance	ISO - 10545 - 14	Resistant	Resistant

PACKING DETAILS

Dimension (MM)	Box			
	Pieces	Sq. Mtr.	Sq. Feet	Weight (Apx.)
1200X2800 (6 MM)	2	3.36	36.17	102 kgs.
1600x3200 (6 MM)	1	5.12	55.11	72 kgs.
1200X1800 (9 MM)	2	4.32	46.5	90 kgs.
1200X2400 (9 MM)	1	2.88	31	62 kgs.
1200x2800 (9 MM)	1	3.36	36.17	74 kgs.
1600x3200 (12 MM)	1	5.12	55.11	145 kgs.
800X2400 (15MM)	1	1.92	20.67	68 kgs.
800X3200 (15MM)	1	2.56	27.56	90 kgs.



FEATURES

Made with the finest quality raw material and advanced technology under the watchful supervision of experts, Vetican Collection goes to toughest quality challenges to ensure that your space preserves its beauty for the longest time.





DOMINGOTM
Build the heaven... TILES

CORPORATE OFFICE

DOMINGO TILES LLP.

A-1105,RK Iconic,150 Feet ring road,
Shital park,Rajkot-360006,Gujarat,India.

info@domingotiles.com
www.domingotiles.com
+91 90332 07040

Follow us on :   



FOR MORE
DETAIL SCAN
HERE