



Woodcraft

COLLECTION

AVAILABLE SIZE


150x600mm | 200x1000mm | 200x1200mm
300x1200mm | 600x600mm | 600x1200mm





200x1200 mm

R10



200x1200 mm

R 10

AMERICAN SOLID WOOD



R 4

R 6

R 10

R 12


600x1200 mm

300x1200 mm

200x1000 mm

150x600 mm

AMERICAN GREY WOOD



R 6

R 4

R 10

R 12

300x1200 mm

600x1200 mm

200x1000 mm




150x600 mm





200x1200 mm

R 8



200x1200 mm

R 8

BASS WOOD



R 4

600x1200 mm



R 8

300x1200 mm




R 10

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm




R 10

200x1000 mm



R 8

300x1200 mm



R 4

600x1200 mm

BASS GREY WOOD





200x1200 mm

R 10



200x1200 mm

R 10

BLOSSAM WOOD WHITE



R 4

600x1200 mm



R 6

300x1200 mm



R 10

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm



R 10

200x1000 mm



R 6


300x1200 mm



R 4

600x1200 mm

BLOSSAM WOOD CHOCO




PREVIEW OF BLOSSAM WOOD CHOCO



200x1200 mm

R 10



200x1200 mm

R 10

BRICH WOOD BEIGE



R 4

600x1200 mm



R 6

300x1200 mm



R 8

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm




R 8

200x1000 mm



R 6

300x1200 mm



R 4

600x1200 mm



BRICH WOOD BLUE





200x1200 mm

R 10



200x1200 mm

R 10

BRICH WOOD BROWN



R 4

600x1200 mm



R 6

300x1200 mm



R 8

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm



R 8

200x1000 mm



R 6

300x1200 mm



R 4

600x1200 mm


BRICH WOOD GREY





200x1200 mm

R 10



200x1200 mm

R10

BRICOLA BEIGE



R 3

600x1200 mm



R 6

300x1200 mm



R 10

200x1000 mm



R 8

150x600 mm



R 8

150x600 mm




R 10

200x1000 mm



R 6

300x1200 mm



R 3

600x1200 mm

BRICOLA BROWN





200x1200 mm

R 8

BASKO BROWN



150x600 mm

R 10



200x1000 mm

R 10



300x1200 mm

R 8



600x1200 mm

R 4





200x1200 mm

R 7



200x1200 mm

R 10

CANADIAN PINE



R 2

600x1200 mm



R 7

300x1200 mm



R 6

200x1000 mm



R 9

150x600 mm



R 10

150x600 mm



R 10

200x1000 mm



R 10

300x1200 mm



R 6

600x1200 mm

CEDAR WOOD NATURAL



R 10

150x600 mm



R 10

200x1000 mm



R 10

300x1200 mm




R 6

600x1200 mm



PREVIEW OF CANADIAN PINE



200x1200 mm

R 7



200x1200 mm

R 7

COSMIC COTTO WHITE



R 2

600x1200 mm



R 5

300x1200 mm



R 6

200x1000 mm



R 8

150x600 mm



R 8

150x600 mm



R 6

200x1000 mm



R 5

300x1200 mm

R 2

600x1200 mm




COSMIC COTTO





200x1200 mm

R 8



200x1200 mm

R 8

COUNTRY CHOCO



R 6

600x1200 mm

R 8

300x1200 mm


R 8

200x1000 mm

R 8

150x600 mm

COUNTRY GREY



R 8

300x1200 mm

R 6

600x1200 mm





200x1200 mm

R 5



200x1200 mm

R 8

DALI BROWN



R 3

600x1200 mm



R 5

300x1200 mm



R 5

200x1000 mm



R 8

150x600 mm



R 8

150x600 mm



R 10

200x1000 mm



R 8

300x1200 mm



R 2

600x1200 mm

DESERT WOOD



R 8

300x1200 mm




R 2

600x1200 mm



PREVIEW OF DESERT WOOD



200x1200 mm

R 6



200x1200 mm

R 6

EGYPT WOOD



600x1200 mm

R 3




300x1200 mm

R 6



200x1000 mm

R 7



150x600 mm

R 10

FOREST WOOD ASH



150x600 mm

R 10



200x1000 mm

R 6



300x1200 mm

R 5



600x1200 mm

R 2





200x1200 mm

R 8



200x1200 mm

R 8

HARPER LIGHT BROWN



R 3

600x1200 mm



R 5

300x1200 mm



R 8

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm



R 8

200x1000 mm



R 5

300x1200 mm



R 3

600x1200 mm

HARPER CHOCO



R 5

300x1200 mm



R 3

600x1200 mm





200x1200 mm

R 6



200x1200 mm

R 10

HICKORY BROWN WOOD



600x1200 mm R 2



300x1200 mm R 5



200x1000 mm R 6



150x600 mm R 10



150x600 mm R 9



200x1000 mm R 8



300x1200 mm R 8



600x1200 mm R 2





200x1200 mm

R 10



200x1200 mm

R 10

JUNGLA ROBLE GREY



R 4

600x1200 mm



R 8

300x1200 mm



R 10

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm



R 10

200x1000 mm



R 8

300x1200 mm



R 4

600x1200 mm

JUNGLA ROBLE





200x1200 mm

R 8



200x1200 mm

R 8

MAHOGANY DARK



R 2

600x1200 mm



R 6

300x1200 mm



R 8


200x1000 mm



R 8

150x600 mm

MAHOGANY GREY



R 8

150x600 mm



R 8

200x1000 mm



R 6

300x1200 mm



R 2

600x1200 mm



PREVIEW OF MAHOGANY DARK



200x1200 mm

R 8

MOGALWOOD GRAY



R 8

600x1200 mm



R 8

300x1200 mm



R 8

200x1000 mm



R 8

150x600 mm



200x1200 mm

R 8

MOLAVE CHOCO WOOD



R 8

150x600 mm



R 8

200x1000 mm



R 8

300x1200 mm



R 8

600x1200 mm





200x1200 mm

R 8



200x1200 mm

R 8

MOLAVE WHITE WOOD



R 2

600x1200 mm



R 6

300x1200 mm



R 6

200x1000 mm



R 8

150x600 mm



R 8

150x600 mm



R 6

200x1000 mm



R 6

300x1200 mm



R 2

600x1200 mm

MOLAVE WOOD



PREVIEW OF MOLAVE WHITE WOOD



200x1200 mm

R 5



200x1200 mm

R 5

NATURAL SELLY WOOD



R 2

600x1200 mm



R 5

300x1200 mm



R 4

200x1000 mm



R 8

150x600 mm



R 8

150x600 mm



R 4

200x1000 mm



R 5

300x1200 mm




R 2

600x1200 mm

NOCCIOLA GREY





200x1200 mm

R 8



200x1200 mm

R 8

OAK NATURAL



R 2

600x1200 mm



R 6

300x1200 mm



R 8

200x1000 mm



R 8

150x600 mm



R 10

150x600 mm



R 6

200x1000 mm



R 4

300x1200 mm



R 2

600x1200 mm

FRESH WENGE



200x1200 mm

R 8





200x1200 mm

R 12



200x1200 mm

R 12

ORIGIN BROWN



R 4

600x1200 mm



R 8

300x1200 mm



R 12

200x1000 mm



R 12

150x600 mm



R 12

150x600 mm



R 12

200x1000 mm



R 8

300x1200 mm



R 4

600x1200 mm

ORIGIN SAND





200x1200 mm

R 10



200x1200 mm

R 8

PATINA BROWN

PROGETTO WOOD



R 4

R 8

R 10

R 10

600x1200 mm

300x1200 mm

200x1000 mm

150x600 mm



R 10

R 8

R 6

R 3

150x600 mm

200x1000 mm

300x1200 mm

600x1200 mm





200x1200 mm

R 10



200x1200 mm

R 10

REAL WOOD BROWN



R 2

600x1200 mm



R 6

300x1200 mm



R 8

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm



R 8

200x1000 mm



R 6

300x1200 mm



R 2

600x1200 mm

REAL WOOD HONEY





200x1200 mm

R 10



200x1200 mm

R 8

ROVER BROWN



R 4

600x1200 mm

R 8

300x1200 mm

R 10

200x1000 mm

R 10

150x600 mm

ROYAL WOOD



R 6

300x1200 mm

R 8

200x1000 mm

R 10

150x600 mm

R 3

600x1200 mm





200x1200 mm

R 8



200x1200 mm

R 8

RUSKY DARK BROWN



600x1200 mm

R 2



300x1200 mm

R 6



200x1000 mm

R 8



150x600 mm

R 10



150x600 mm

R 10



200x1000 mm

R 8



300x1200 mm

R 6



600x1200 mm

R 4

SARA WOOD





200x1200 mm

R 10



200x1200 mm

R 10

STEELWOOD BROWN



R 4

600x1200 mm



R 6

300x1200 mm



R 10

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm



R 10

200x1000 mm



R 6

300x1200 mm



R 4

600x1200 mm





200x1200 mm

R 10



200x1200 mm

R 8

TIMBER BROWN



R 5

600x1200 mm



R 8

300x1200 mm



R 10

200x1000 mm



R 10

150x600 mm

TORTORA GREY



R 10

150x600 mm



R 8

200x1000 mm



R 6

300x1200 mm



R 2

600x1200 mm





200x1200 mm

R 10



200x1200 mm

R 10

WHITE CEMENTO



R 5

600x1200 mm



R 8

300x1200 mm




R 10

200x1000 mm



R 10

150x600 mm



R 10

150x600 mm



R 10

200x1000 mm



R 8

300x1200 mm



R 5

600x1200 mm

WHITE TEAK WOOD





200x1200 mm

R 3



200x1200 mm

R 8

WORN WOOD



R 2

600x1200 mm



R 2

300x1200 mm



R 4

200x1000 mm



R 4

150x600 mm

CLASSIC BROWN



R 10

150x600 mm



R 7

200x1000 mm



R 7

300x1200 mm



R 6

600x1200 mm



PREVIEW OF WORN WOOD



TECHNICAL SPECIFICATIONS

CHARACTERISTICS	TEST METHOD	INTERNATIONAL STD EN14411 :2016 Bla	DOMINGO VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Lenth & Width	EN ISO - 10545 - 2	±0.6%	±0.1%
Deviation In Thickness	EN ISO - 10545 - 2	±5%	±3%
Straightness Of Sides	EN ISO - 10545 - 2	±0.5%	±0.1%
Rectangularity	EN ISO - 10545 - 2	±0.5%	±0.1%
Surface Flatness	EN ISO - 10545 - 2	±0.5%	±0.1%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	EN ISO - 10545 - 3	<0.5%	<0.05%
Mohs Hardness	EN - 101	Min.5	Min.5
Flexural Strength	EN ISO - 10545 - 4	>35 N/mm2	>47 N/mm2
Skid Resistance (Friction Coefficient)	EN ISO - 10545 - 17	>0.4	>0.4
Breaking Strength	EN ISO - 10545 - 4	>1300 N	>1500 N
Frost Resistance	EN ISO - 10545 - 12	Frost Proof	Frost Proof
Thermal Shock Resistance	EN ISO - 10545 - 9	No Damage	No Damage
Moisture Expansion	EN ISO - 10545 - 10	NIL	NIL
Resistance To Surface Abrasion	EN ISO - 10545 - 7	Abrasion class shall be specified by the manufacturer	PEI IV & V
CHEMICAL PROPERTIES			
Chemical Resistance	EN ISO - 10545 - 13	Min Class - 3	Class 5
Color Resistance	EN ISO - 10545 - 16	No Damage	No Damage
Stain Resistance	EN ISO - 10545 - 14	Resistant	Resistant

PACKING DETAILS

Dimension (MM)	Box			
	Pieces	Sq. Mtr.	Sq. Feet	Weight (Apx.)
150x600	8	0.72	7.75	13 kgs.
600x600	4	1.44	21.53	43 kgs.
200x1000	5	1	10.764	25 kgs.
200x1200	5	1.20	12.92	26 kgs.
300x1200	4	1.44	15.5	27.5 kgs.
600x1200	2	1.44	15.5	27.5 kgs.





DOMINGOTM
Build the heaven... TILES

CORPORATE OFFICE”

DOMINGO TILES LLP.
A-1105,RK Iconic,150 Feet ring road,
Shital park,Rajkot-360006,Gujarat,India.

info@domingotiles.com
www.domingotiles.com
+91 90332 07040

Follow us on :   



FOR MORE
DETAIL SCAN
HERE